

Fairlead Mount for RTPro Bumper

Polaris XP1000 / RZR 900 | 2014-2016

Part #: RTP5401343

Rev. 112619

491 W. Garfield Ave., Coldwater, MI 49036 · Phone: 517-278-7768 E-mail: sales-rtpro@ridefox.com

SAFETY WARNING

RT Pro UTV recommends this system be installed by a professional technician. In addition to these instructions, professional knowledge of disassembly/ reassembly procedures and post installation checks must be known.

WHY BUY RT PRO UTV

Great off-road driving and racing comes with having the most rugged and durable machine in the pack.

RT Pro UTV performance enhancing products will make your off-road machine stronger, tougher and safer so you can have more fun and less breakdowns.

For over a decade, RT Pro UTV staff have been taking brand new UTVs and driving them to their breaking point. When they bend, break or falter, we take them back to shop and create a fix that stops the problem from happening again.

There is no other company in the industry that puts more thought, engineering and design innovation into their products than we do. Our team is made up of off-road racers, mechanical engineers and talented fabricators who live and breathe all things motorsport. Above all, we share a passion for innovation, quality construction and getting things right.

All of our products are designed for assembly by weekend warriors with normal garage tools and the occasional spot-weld. Assembly directions are complete and thorough.

Remember, when you buy a RT Pro UTV product for your UTV, all of the parts have been designed and manufactured in the United States with U.S. steel and other high quality American components.



RTP5401343- Fairlead mount - STD		
Part #	Description	QTY
04178	Front Fairlead Mount	1
04180	Front Fairlead Plate - STD	1
R158	Bolt Pack	1
	3/8"-16 x 1" Button Head Bolt	2
	3/8-16 Nylock Nut	2
	M10 Flat Washer	4

FITMENT NOTES

Will only work with bumper base RTP5401312 Check fitment of winch to front bumper. This may not be compatible with all winches.

SPECIAL TOOLS

NONE


INSTALLATION TIME

Approximately 1 hours Easy Difficulty

INSTALLATION INSTRUCTIONS

- Park vehicle on clean level surface and ensure the vehicle is shifted in to park.
- 2. Remove two center button head bolts from the front bumper. (See Figure 1)

Figure 1



- 3. Attach the front fairlead mount (04178) so that the step down plates are directly on winch plate and front formed tabs are toward the front pointed upward so that the plate can be attached to the outside surface.
- Install winch onto bumper. Winch fairlead mount will be located between the winch and bumper and be fastened using winch hardware. Torque winch hardware to specs determined by the winch manufacturer.
- 5. Install fairlead plate to failead mount using included 3/8" hardware. Torque 3/8" hardware to 29 ft-lbs. See Figure 2

Figure 2



Attach fairlead to plate.

THANK YOU FOR YOUR BUSINESS!

For questions or additional information feel free to call and ask for tech support or email us through our website at: rtproutv.com/contact



Show Us Your Ride!

Get a photo of your RT Pro UTV equipped vehicle and send them in for a chance to be featured in our customer gallery!