



RZR XP 900 Front Cage Mount Installation

Polaris RZR XP 900 | 2011-2014

Part #: 5401621

Rev. 051217

491 W. Garfield Ave., Coldwater, MI 49036 · Phone: 517-278-7768

E-mail: sales-rtpro@sporttruckusainc.com

SAFETY WARNING

RT Pro UTV recommends this system be installed by a professional technician. In addition to these instructions, professional knowledge of disassembly/ reassembly procedures and post installation checks must be known.

WHY BUY RT PRO UTV

Great off-road driving and racing comes with having the most rugged and durable machine in the pack.

RT Pro UTV performance enhancing products will make your off-road machine stronger, tougher and safer so you can have more fun and less breakdowns.

For over a decade, RT Pro UTV staff have been taking brand new UTVs and driving them to their breaking point. When they bend, break or falter, we take them back to shop and create a fix that stops the problem from happening again.

There is no other company in the industry that puts more thought, engineering and design innovation into their products than we do. Our team is made up of off-road racers, mechanical engineers and talented fabricators who live and breathe all things motorsport. Above all, we share a passion for innovation, quality construction and getting things right.

All of our products are designed for assembly by weekend warriors with normal garage tools and the occasional spot-weld. Assembly directions are complete and thorough.

Remember, when you buy a RT Pro UTV product for your UTV, all of the parts have been designed and manufactured in the United States with U.S. steel and other high quality American components.



RTP5401621		
Part #	Description	QTY
04316	XP900 Frt Cage Mount DRV	1
04317	XP900 Frt Cage Mount PASS	1
R138	Bolt Pack - Front Cage Mounts	1
	5/16"-18 x 3/4" hex bolt grade 8	12
	5/16"-18 nylock nut	12
	5/16" SAE flat washer	24

FITMENT NOTES

These Front Cage Mounts will fit any model or year RZR XP 900 including XP 4

SPECIAL TOOLS

Hand Drill
5/16" Drill Bit
3/8" Drill Bit

INSTALLATION TIME

Approximately 4 hours
Medium Difficulty

INSTALLATION INSTRUCTIONS

1. Remove hood from RZR. Please refer to a factory service manual for this part of the installation.
2. Remove the original Front Cage Mounts. BE SURE TO KEEP THE ORIGINAL MOUNTING HARDWARE. This will be reused.
3. Align the new front cage mounts by reinstalling the original hardware in the pre-existing holes.
4. Use a 5/16" and 3/8" drill bit to create the necessary new holes. There should only be three holes needed per side.

5. Use the supplied hardware to complete the final assembly of the Front Cage Mounts. Use supplied washers as needed to space the front outer-most bolt out for clearance for nut.
6. Tighten all fasteners.
7. Reinstall hood. Please refer to the factory service manual for this part of the installation.

THANK YOU FOR YOUR BUSINESS!

For questions or additional information feel free to call and ask for tech support or email us through our website at: rtproutv.com/contact



Show Us Your Ride!

Get a photo of your RT Pro UTV equipped vehicle and send them in for a chance to be featured in our customer gallery!